



General Information

Extended Product Type:	C4/6
Product ID:	1SNL506010R0000
EAN:	3472599857537
Catalog Description:	C4/6
Long Description:	- 4 mm ² Feed-through terminal with ABB patented screw Clamp Connection

Ordering

Color:	Grey
Minimum Order Quantity:	100 piece
Customs Tariff Number:	85369010

Popular Downloads

Data Sheet, Technical Information:	1SNC160028L0202
Instructions and Manuals:	1SNC160028L0202

Dimensions

Product Net Width:	6 mm
Product Net Height:	43.6 mm
Product Net Depth / Length:	41.5 mm
Product Net Weight:	6.4 g

Technical

Rated Cross-Section:	4 mm ²
Spacing:	6 mm
Connection Type:	Screw clamp
Function:	Feed-through
Connecting Capacity Main Circuit:	Screw Clamp / Flexible 1x 0.2 ... 4 mm ² Screw Clamp / Flexible 2x 0.2 ... 2.5 mm ² Screw Clamp / Rigid 1x 0.2 ... 6 mm ² Screw Clamp / Rigid 2x 0.2 ... 2.5 mm ² Screw Clamp / With Insulated Ferrule 1x 0.2 ... 4 mm ² Screw Clamp / Without Insulated Ferrule 1x 0.2 ... 4 mm ² Screw Clamp / With Twin Ferrule 2x 0.2 ... 2.5 mm ²
Gauge Type:	A4
Rated Current (I _n):	Main Circuit 32 A

Rated Short-time Withstand Current (I_s): for 1 s 480 A

Rated Voltage (U_r): 1000 V

Rated Impulse Withstand Voltage (U_i): 8000 V

Dielectric Test Voltage: 2000 V

Pollution Degree: 3

Degree of Protection: acc. to IEC 60529, IEC 60947-1, EN 605.²

Container Information

Package Level 1 Units:	100 piece
Package Level 1 Width:	88 mm
Package Level 1 Depth / Length:	305 mm
Package Level 1 Height:	42 mm
Package Level 1 Gross Weight:	0.64 kg
Package Level 1 EAN:	3472599857537
Package Level 2 Units:	1000 piece
Package Level 2 Width:	250 mm
Package Level 2 Depth / Length:	330 mm
Package Level 2 Height:	210 mm
Package Level 2 Gross Weight:	6.4 kg
Product Packing Type:	Box

